



# SAFETY DATA SHEET




CONFORMS TO OSHA HAZARD COMMUNICATION STANDARD  
(HCS) 29 CFR 1910.1200

Page 1 of 5  
Revision Date 6/1/2015  
Supersedes Date 1/8/2014

## SECTION 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:** JAX Non-Chlorinated Brake Parts Cleaner (Aerosol)  
**Part number:** JAX229
- 1.2 Identified uses:** Brake parts cleaner  
**Uses advised against:** Any use not specified above, or any use specified against elsewhere in this SDS.
- 1.3 Supplier:** Pressure-Lube Inc. JAX  
W134 N5373 Campbell Drive  
Menomonee Falls, WI 53051 USA  
**Email contact:** info@jax.com  
**Non-emergency contact:** Phone: 262-781-7660 Fax: 262-781-3906
- 1.4 Emergency telephone:** INFOTRAC:  
**North America** 1-800-535-5053 **Australia** 1-300-366-961 **Germany** 0800-181-2926  
**International** 011-1-352-323-3500 (collect) **China** 400-120-0761

## SECTION 2. HAZARDS IDENTIFICATION

- 2.1 GHS Classification:**  
**Hazard class(es):** Flammable Aerosol Cat. 1; Reproductive Toxicity Cat. 2; Eye Irritation Cat. 2A; STOT SE 3; Aspiration Toxicity Cat. 1
- 2.2 Label elements**  
**Pictograms:**   
- Signal word:** Danger
- Hazard-determining components of labeling:** Acetone; toluene
- Hazard statements:** Extremely flammable aerosol. Suspected of damaging the unborn child. Causes serious eye irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.
- Precautionary statements:** Keep away from heat/ sparks/ open flames/ hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/ protective clothing/ eye protection/ face protection. Wash skin thoroughly after handling. Wear eye protection/ face protection. Avoid breathing fume/ mist/ vapors/ spray. Use only outdoors or in a well-ventilated area. If exposed or concerned: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF SWALLOWED: Immediately call a poison center/ doctor. Do NOT induce vomiting. Call a POISON CENTER or doctor/ physician if you feel unwell. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store locked up.
- Additional information** Not applicable
- 2.3 Other hazards**  
**Results of PBT and vPvB assessment**  
**PBT:** Not applicable  
**vPvB:** Not applicable

## SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Composition	Components	%	CAS #	Impurities
	Acetone	50-100	67-64-1	None
	Carbon dioxide	2.5-10	124-38-9	None
	Naphtha (petroleum), hydrotreated light*	2.5-10	64742-49-0	None
	Toluene	2.5-10	108-88-3	None
	Methanol	<2.5	67-56-1	None

- 3.2 Additional information** \*Contains less than 0.1 % w/w benzene.

## SECTION 4. FIRST AID MEASURES

**4.1 First aid measures**

<b>Eye contact:</b>	Remove contact lenses, if wearing, and flush eyes with water for at least 15 minutes or until irritation subsides. If irritation persists, consult a physician.
<b>Skin contact:</b>	Remove clothing and shoes, if contaminated. Wash skin with soap and water. Wash or clean contaminated clothing before reuse and discard oil-soaked shoes. If irritation persists, consult a physician.
<b>Ingestion:</b>	If swallowed, DO NOT induce vomiting. As a precaution, give the person a glass of water to drink and seek medical attention. Never give anything by mouth to an unconscious person. Consult a physician.
<b>Inhalation:</b>	Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention immediately.

**4.2 Most important symptoms and effects, both acute and delayed.**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment available.**

No further relevant information available.

**SECTION 5. FIREFIGHTING MEASURES**

<b>5.1 Suitable extinguishing media:</b>	Extinguishing media include dry chemical, alcohol foam, and carbon dioxide. Do not use direct stream of water. Water may be used to keep fire-exposed containers cool.
<b>Unsuitable extinguishing media:</b>	Do not use direct stream of water.
<b>5.2 Special hazards:</b>	Pressure build-up due to heat exposure may cause containers to rupture. Use water spray to keep containers cool.
<b>5.3 Advice for firefighters:</b>	Firefighters should wear full protective gear, including helmet. Use supplied-air breathing equipment for enclosed or confined space or as otherwise needed.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

<b>6.1 Personal precautions, protective equipment and emergency procedures</b>	In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. Keep away from ignition sources. Wear protective equipment. Keep unprotected persons away.
<b>6.2 Environmental precautions:</b>	Prevent entry into sewers, waterways or confined areas by diking or impounding. Dike far ahead of spill for later recovery and disposal. Advise authorities if the product has entered or may enter sewers, watercourses, or extensive land areas.
<b>6.3 Containment and clean-up:</b>	<b>Land spill:</b> Stop leak if you can do so without risk. Recover free product using non-sparking tools. Add sand, earth, or other suitable absorbent material to the spill area. Recover by pumping or with suitable absorbents. Dispose of in accordance with national and/or local regulations relating to waste disposal. <b>Water spill:</b> Stop leak if you can do so without risk. Confine the spill immediately with booms. Remove from the surface by skimming or with suitable absorbents. Seek the advice of a specialist before using dispersants.
<b>6.4 Reference to other sections:</b>	See Section 7 for information on safe handling. See Section 8 for information on personal protective equipment.

**SECTION 7. HANDLING AND STORAGE**

<b>7.1 Handling:</b>	Keep away from heat and direct sunlight. Keep away from ignition sources - Do not smoke. Protect against electrostatic discharges. Ensure good ventilation/exhaustion at the workplace. <b>See Section 8.2 for information on occupational hygiene.</b>
<b>7.2 Storage:</b>	Store in a cool, dry place in tightly sealed containers. Store out of direct sunlight. Observe official regulations on storing packagings with pressurized containers. Store away from oxidizing agents. Do not store near heat, sparks, open flame, pilot lights, static electricity, or other sources of ignition. Do not store where temperature may exceed 49°C (120°F). Rotate stock. <b>See Section 10 for information on conditions and materials to avoid.</b>
<b>7.3 End Uses:</b>	Refer to Section 1 for identified uses, and uses advised against.

**SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

<b>8.1 Workplace exposure limits:</b>	<b><u>Components</u></b>	<b><u>Exposure limit and source</u></b>
	Acetone	Short-term value: 3620 mg/m <sup>3</sup> , 1500 ppm Long-term value: 1210 mg/m <sup>3</sup> , 500 ppm
	Carbon dioxide	Short-term value: 27400 mg/m <sup>3</sup> , 15000 ppm Long-term value: 9150 mg/m <sup>3</sup> , 5000 ppm
	Naphtha (petroleum), hydrotreated light*	Not available
	Toluene	Short-term value: 384 mg/m <sup>3</sup> , 100 ppm

Methanol

Long-term value: 191 mg/m<sup>3</sup>, 50 ppm  
 Short-term value: 333 mg/m<sup>3</sup>, 250 ppm  
 Long-term value: 266 mg/m<sup>3</sup>, 200 ppm

**8.2 Exposure controls**

- Engineering controls:** Provide exhaust ventilation or other engineering controls to keep the airborne concentration of vapors below their respective occupational exposure limits.
- Ventilation:** Use in a well-ventilated area. See Engineering Controls.
- Personal hygiene:** Wash skin thoroughly after contact, before breaks and meals and at the end of the work period. Product is readily removed from skin by waterless hand cleaners followed by washing thoroughly with soap and water.
- Eye protection:** Chemical splash goggles or face shield in compliance with OSHA regulations are advised when eye contact may occur.
- Hand protection:** Any lined non-permeable rubber gloves.
- Respiratory protection:** Use with adequate ventilation. Respiratory protective equipment is not normally required where there is adequate natural or local exhaust ventilation to control exposure. In case of insufficient ventilation, wear suitable respiratory equipment. A NIOSH/MSHA-approved air-supplied respirator is advised in absence of proper environmental control.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES****9.1 Physical and chemical properties**

<b>Appearance / odor:</b>	Colorless liquid with aromatic odor	<b>Vapor pressure:</b>	Not available
<b>Physical state:</b>	Liquid and compressed gas in aerosol can	<b>Vapor density:</b>	Not available
<b>Odor threshold:</b>	Not available	<b>Relative density:</b>	0.74 (typical)
<b>pH:</b>	Not available	<b>Solubility in water:</b>	Not available
<b>Melting / freezing point:</b>	Not available	<b>Partition coefficient (n-octanol/water):</b>	Not available
<b>Boiling point / range:</b>	Not available	<b>Autoignition temperature:</b>	Not available
<b>Flash point:</b>	Not available; however, product is classified as an extremely flammable aerosol	<b>Decomposition temperature:</b>	Not available
<b>Evaporation rate:</b>	Not available	<b>Viscosity:</b>	Not available
<b>Upper flammability limit:</b>	Not available	<b>Explosive properties:</b>	Not applicable
<b>Lower flammability limit:</b>	Not available	<b>Oxidizing properties:</b>	Not an oxidizer
<b>Percent Volatile:</b>	Not available		

**9.2 Other information** No further relevant information available.

**SECTION 10. STABILITY AND REACTIVITY**

- 10.1 Reactivity:** See sub-sections below.
- 10.2 Chemical stability:** This material is stable under normal conditions.
- 10.3 Possibility of hazardous reactions:** Hazardous reactions are not expected to occur.
- 10.4 Conditions and materials to avoid:** Avoid sparks and other sources of ignition, open flames, high temperatures [above 120°F (49°C)], and direct sunlight. Avoid contact with strong oxidizers (such as liquid chlorine, halogens, hydrogen peroxide, and oxygen), selected amines, strong acids (such as nitric acid and sulphuric acid), strong bases and molten sulphur.
- 10.5 Hazardous decomposition products:** Carbon oxides can form on incomplete combustion.

**11.1 Information on toxicological effects**

<b>Acute toxicity / LD<sub>50</sub> and LC<sub>50</sub> of ingredients:</b>	<b>Components</b>	<b>LD<sub>50</sub></b>	<b>LC<sub>50</sub></b>
	Acetone	5800 mg/kg (oral, rat)	Not available
	Carbon dioxide	Not available	Not available
	Naphtha (petroleum), hydrotreated light*	Not available	Not available
	Toluene	5000 mg/kg (oral, rat)	5320 mg/l/4h (inhalation, mouse)
	Methanol	5628 mg/kg (oral, rat)	Not available

**Routes of exposure:** Eyes, skin, ingestion and inhalation

**Other information:** Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis, which can be fatal.

## SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity:	<u>Components</u>	<u>L(E)C<sub>50</sub></u>
	Acetone	Not available
	Carbon dioxide	Not available
	Naphtha (petroleum), hydrotreated light*	Not available
	Toluene	Not available
	Methanol	Not available

**Toxicity notes:** Not available

**12.2 Persistence and degradability:** Not available

**12.3 Bioaccumulative potential:** Not available

**12.4 Mobility in soil:** Not available

**12.5 Persistence, bioaccumulation and toxicity for substance(s):** This product is not, or does not contain, a substance that is a PBT or a vPvB.

**12.6 Other adverse effects:** No adverse effects are expected.

## SECTION 13. DISPOSAL CONSIDERATIONS

**13.1 Waste treatment methods:** Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Consult national or regional authorities for proper disposal and reporting procedures.

## SECTION 14. TRANSPORTATION INFORMATION

Dangerous goods descriptions may not reflect package size, quantity, end-use or region-specific exceptions that can be applied to shipments. Consult shipping documents for material-specific descriptions.

	<u>Proper Shipping Name:</u>	<u>UN Number:</u>	<u>Hazard Class:</u>	<u>Packing Group:</u>	<u>Remarks:</u>
<b>U.S. D.O.T.</b>	Aerosols, flammable	UN1950	2.1	None	The above U.S. DOT information applies to GROUND shipments only. Refer to Code of Federal Regulations, Title 49 (49 CFR) for additional shipping information.
<b>ADR/RID</b>	Aerosols, flammable	UN1950	2.1	None	Tunnel Restriction D
<b>IMDG</b>	Aerosols, flammable	UN1950	2.1	None	None
<b>IATA</b>	Aerosols, flammable	UN1950	2.1	None	None

## SECTION 15. REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

#### U.S. Federal Regulations:

**SARA Section 302 Extremely Hazardous Substances** This product contains greater than 1.0% of the following chemical(s) on the SARA Extremely Hazardous Substances List:  
None

**SARA Section 304 CERCLA Hazardous Substances** Release of the following chemical(s) at quantities equal to or greater than the reportable quantities (RQ), is subject to reporting to the National Response Center under CERCLA:  
Toluene (CAS# = 108-88-3), RQ = 1000 lbs.  
2-Propanone (CAS# = 67-64-1), RQ = 5000 lbs.  
Methanol (CAS# = 67-56-1), RQ = 5000 lbs.

**SARA Section 313 Toxic Chemicals** This product contains the following chemical(s) listed in Section 313 at or above the de minimis concentrations:  
Toluene CAS# = 108-88-3  
Methanol CAS# = 67-56-1

**TSCA Inventory** All components of this material are on the U.S. TSCA Inventory.

**California Proposition 65 Status** This product contains chemical(s) known to the State of California to cause birth defects or other reproductive harm.

California Toluene CAS# = 108-88-3  
Proposition 65  
Listed Components

**International Regulations:**

**European Union:** This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. A Chemical Safety Assessment has not been carried out.

**Canada** All components are in compliance with the Canadian Environmental Protection Act. This product has been classified in accordance with the hazard criteria of the CPR and this MSDS contains all the information required by CPR.

**Japan MITI** Not available

**Australia** Not available

**Switzerland** Not available

**SECTION 16. OTHER INFORMATION**

**Sections Revised:** New SDS format

**Revision Date:** 6/1/2015

The information and recommendations contained herein are, to the best of Pressure-Lube Inc.'s knowledge and belief, accurate and reliable as of the date issued. Pressure-Lube Inc. makes no warranty or guarantee, expressed or implied, of their accuracy or reliability, and Pressure-Lube Inc. shall not be liable for any loss or damage based upon the criteria supplied by the developers of these rating systems, together with Pressure-Lube Inc.'s interpretation of the available data.

\*\*\* END OF SDS \*\*\*